



- | # | SECTION NOTES |
|-----|--|
| 1. | CONCRETE SLAB ON GRADE OVER WATERPROOF MEMBRANE OVER SAND OVER 3/4" MAX SIZE CLEAN CRUSHED ROCK, SSD. |
| 2. | CONCRETE SLAB ON GRADE OVER 3/4" MAX. SIZE CLEAN CRUSHED ROCK, SSD. |
| 3. | CONCRETE GRADE BEAM, SSD. |
| 4. | CONCRETE MASONRY UNIT WALL, SSD. |
| 5. | CONCRETE COLUMNS, SSD. |
| 6. | CONCRETE BEAM, SSD. |
| 7. | CONCRETE P.T. SLAB, SSD. |
| 8. | CONCRETE FOOTING, SSD. |
| 9. | SINGLE-PLY, CLASS A ROOF, SEE A10.1. USE PRE-CUT FOAM TO FORM CRICKETS. |
| 10. | MISSION STYLE CONCRETE ROOF TILES. |
| 11. | PLYWOOD OVER 2x4 MANUFACTURED ROOF TRUSSES AT 24" O.C. WITH R30 INSULATION WITH 5/8" GYPSUM BOARD CEILING ON RESILIENT CHANNELS, SEE A10.1. |
| 12. | 1" GYPCRETE OR FIRM-FILL OVER SOUND MAT, OVER 3/4" T&G PLYWOOD OVER 4x2 MANUFACTURED FLOOR TRUSSES WITH R19 GLASS BATT INSULATION AND 5/8" GYPSUM BOARD ON RESILIENT CHANNEL, SEE A10.1. |
| 13. | SOUND MAT, OVER CONCRETE PT SLAB, SEE A10.1. |
| 14. | EXCEL COAT KD FINISH OVER EXCEL COAT PEDESTRIAN TRAFFIC MEMBRANE BY EXCELLENT COATING INC. OVER CONCRETE PT SLAB OR FRAMED EXTERIOR CORRIDORS; SLOPE FLOORS TO DRAIN. |
| 15. | EXCEL COAT FIRE SYSTEM BY EXCELLENT COATING INC. OVER 3/4" PLYWOOD OVER SLOPED FLOOR JOISTS @ 16" O.C., TYPICAL AT EXTERIOR FRAMED BALCONIES. |
| 16. | 14x24x2" PRECAST PAVERS ON PEDESTAL BY HANOVER PRECAST PRODUCT OVER 1" SAND BEDDING OVER WATERPROOFING CIM1000 BY CIM INDUSTRIES OVER POST TENSIONED SLAB. |
| 17. | FRAMED INTERIOR WALL WITH 5/8" TYPE X GYPSUM BOARD EA. FACE, SEE DRAWING A10.2 |
| 18. | FRAMED INTERIOR CORRIDOR WALL WITH 5/8" TYPE X GYPSUM BOARD EA. FACE, SEE DRAWING A10.2 |
| 19. | FRAMED PARTY WALL WITH 5/8" TYPE X GYPSUM BOARD EA. FACE., SEE DRAWING A10.2 |
| 20. | FRAMED EXTERIOR WALL WITH 5/8" TYPE X GYPSUM BOARD INT. FACE AND 7/8" PLASTER EXTERIOR FACE, SEE AND, DRAWING A10.2 |
| 21. | FRAMED EXTERIOR WALL SEE DRAWING A10.2 |
| 22. | 7/8" (3-COATS) PAINTED PORTLAND CEMENT PLASTER WITH EXPANSION JOINTS (100 SQ. FT. MAX. SEE ELEVATIONS) OVER METAL LATH AND OVER WATER-PROOFING MEMBRANE. |
| 23. | CERAMIC TILES |
| 24. | AWNING WITH FABRIC AND METAL FRAMING. |
| 25. | PAINTED METAL GARAGE ENTRY GATE |
| 26. | PAINTED METAL GUARDRAIL WITH 4" MAX. CLR OPENINGS. |
| 27. | DOUBLE-PANE GLASS VINYL WINDOWS, SEE SCHEDULE SHT. A9.1, A9.2. |
| 28. | DOUBLE-PANE GLASS VINYL SLIDING DOOR, SEE SCHEDULE SHT. A9.1, A9.2. |
| 29. | DOUBLE-PANE GLASS VINYL FIXED WINDOW. |
| 30. | ALUMINUM FRAME STOREFRONT. |
| 31. | FIRE DEPARTMENT LADDER CLOSET. |
| 32. | EMERGENCY ACCESS GATE. |
| 33. | TRASH CHUTE. |
| 34. | EXHAUST SHAFT. |
| 35. | TRASH ENCLOSURE |
| 36. | EXISTING BUILDING |
| 37. | FRAMED ELEVATOR SHAFT WALL, SEE W9, DRAWING A10.2 |
| 38. | METAL FRAMED INTERIOR WALL. SEE W10, DRAWING A10.2 |
| 39. | METAL FRAMED INSULATED INTERIOR WALL, SEE W11, DRAWING A10.2 |
| 40. | METAL FRAMED INSULATED EXTERIOR WALL, SEE W12, DRAWING A10.2 |
| 41. | CRICKET |

LEGEND

F1 FLOOR OR ROOF ASSEMBLY, SEE SHEET A10.1

AH2. . . . AIR HANDLER UNIT No. 2

CITY APPROVAL STAMP

PROJECT TITLE: FRUITVALE COMMONS 1242 SOUTH AVE OAKLAND, CA 94611				SECTIONS
	SHEET TITLE:			
JOB NUMBER: J2002.060				
DRAWN BY: TD	CHECKED BY: NCT			
SCALE (I/OAL) AS SHOWN				
DATE 2/29/08				
SHEET NUMBER A3.2 OF _____ _ SHEET _				